# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER: \_\_\_\_\_

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	1857	vertebr\$5 and pedicle\$1	USPAT; US-PGPUB;	2004/09/24 13:33
1			EPO; JPO;	
			DERWENT; IBM_TDB	
-	789	(vertebr\$5 and pedicle\$1) and imag\$3	USPAT;	2004/09/24
			US-PGPUB; EPO; JPO;	13:33
			DERWENT; IBM_TDB	:
-	91	(vertebr\$5 and pedicle\$1) same image\$1	USPAT;	2004/09/24
			US-PGPUB;	14:17
			EPO; JPO; DERWENT;	
	_		IBM_TDB	
-	8	6185320.pn.,5531227.pn.,6272366.pn.5627907.	.pMSPAT; US-PGPUB;	2004/09/24 14:08
			EPO; JPO;	
			DERWENT; IBM TDB	
-	284	(vertebr\$5 and pedicle\$1) and image\$1 and	USPAT;	2004/09/24
		spine\$1	US-PGPUB;	14:25
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2239	382/128,131,132.ccls.	USPAT; US-PGPUB;	2004/09/30 09:24
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	8	382/128,131,132.ccls. and ((vertabra\$4 or	USPAT;	2004/09/28
		spine\$1) and pedicle\$1)	US-PGPUB;	16:44
			EPO; JPO; DERWENT;	
	_		IBM_TDB	
-	2	US-522806A-\$.DID. OR US-940635A1-\$.DID. OR US-616086A-\$.DID. OR US-550904A-\$.DID.	USPAT; US-PGPUB;	2004/09/28 16:47
		OR US-603828-\$.DID. OR US-553308A-\$.DID.	EPO; JPO;	
		OR US-557708A-\$.DID. OR US-567329A-\$.DID. OR US-574554A-\$.DID. OR US-584183-\$.DID.	DERWENT; IBM_TDB	
		OR US-584183A-\$.DID. OR US-530836-\$.DID.	15111_155	
		OR US-608168A-\$.DID. OR US-R23616E-\$.DID. OR US-628764-\$.DID. OR US-5291537-\$.DID.		
-	333	((vertabrae\$1 or spine) and pedicle\$1) and (x	USPAT;	2004/09/29
		adj ray\$1)	US-PGPUB;	09:23
			EPO; JPO; DERWENT;	
			IBM_TDB	

•	239	(((vertabrae\$1 or spine) and pedicle\$1) and (x	USPAT;	2004/09/29	
		adj ray\$1)) and ((curvature or curv\$4) or	US-PGPUB;	09:24	
		sciolosis or sciol\$5)	EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	28	5228068.pn.,9406351.pn.,6160866.pn.,5509042	p <b>uses</b> 38281.	p <b>n2,664/35629</b> pn.,55	77089.բ
			US-PGPUB;	15:03	
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
_	0	5228068.pn.,9406351.pn.,6160866.pn.,5509042	_	n2 <b>664/30829</b> pn55	77089.r
	_	and pedicle\$1	US-PGPUB;	15:03	
			EPO; JPO;		
			DERWENT;		
-			· ·		
	40535	52200C0 040C254 C4C00CC FE00042	IBM_TDB	0.000.000000000000000000000000000000000	77000 -
-	18535	5228068.pn.,9406351.pn.,6160866.pn.,5509042	1	' - ·	( / Uoa.p
		or vertebra\$1	US-PGPUB;	15:03	
			EPO; JPO;		
			DERWENT;		
		·	IBM_TDB		
-	21	5228068.pn.,9406351.pn.,6160866.pn.,5509042	p <b>U\$<b>993</b>8281.</b>	pn2, <b>664/20029</b> pn.,55	77089.p
		and vertebra\$1	US-PGPUB;	15:03	
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	47	((front\$6 near4 imag\$4) same (vertabrae\$1 or	USPAT;	2004/09/29	
		spine\$1))	US-PGPUB;	15:34	
			EPO; JPO;	10.01	
			DERWENT;		
			IBM_TDB		
_	12	(((front\$6 near4 imag\$4) same (vertabrae\$1	USPAT;	2004/09/29	
	12	or spine\$1))) and pedicle\$1	1		
		or spine\$1))) and pedicle\$1	US-PGPUB;	15:37	
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	35	(((front\$6 near4 imag\$4) same (vertabrae\$1	USPAT;	2004/09/29	
		or spine\$1))) not ((((front\$6 near4 imag\$4)	US-PGPUB;	15:39	
		same (vertabrae\$1 or spine\$1))) and	EPO; JPO;		
		pedicle\$1)	DERWENT;		
			IBM_TDB		
-	3738	382/100,128,131,132;128/922;250/455.11/378/46		I&004/09/29	
		, , , , ,	US-PGPUB;	15:40	
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
_	10	382/100,128,131,132;128/922;250/455.11/378/46	_	18004/00/20	
-	10				
		and (vertabrae\$1 or spine) and pedicle\$1	US-PGPUB;	15:45	
			EPO; JPO;		
ļ			DERWENT;		
			IBM_TDB		1

	3636	382/100,128,131,132.ccls.	USPAT;	2004/09/29
			US-PGPUB;	15:46
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	145	382/100,128,131,132.ccls. and (vertabra\$1 or	USPAT;	2004/09/29
		spine\$1)	US-PGPUB;	15:46
			EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
	156	382/100,128,131,132;128/922;250/455.11/378/46	_	12004/09/30
		and (vertabra\$1 or spine\$1)	US-PGPUB;	09:48
		and (voltable)	EPO; JPO;	00.40
			DERWENT;	
			IBM_TDB	
	156	392/400 429 424 432:428/922:250/455 44/279/46	_	18004/00/20
-	136	382/100,128,131,132;128/922;250/455.11/378/46	1	
		and (vertabra\$2 or spine\$1)	US-PGPUB;	16:01
			EPO; JPO;	
			DERWENT;	
	40-0		IBM_TDB	
•	4050	(vertabra\$2 or spine\$1) same (curve or	USPAT;	2004/09/29
		curving or curves or curvature or scoliosis or	US-PGPUB;	16:02
		scoliotic)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	771	((vertabra\$2 or spine\$1) same (curve or	USPAT;	2004/09/29
		curving or curves or curvature or scoliosis or	US-PGPUB;	16:03
		scoliotic)) and imag\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	496	(((vertabra\$2 or spine\$1) same (curve or	USPAT;	2004/09/29
		curving or curves or curvature or scoliosis or	US-PGPUB;	16:05
		scoliotic)) and imag\$3) and ((x adj ray\$1) or	EPO; JPO;	
		radiogr\$7 or tomography or CT or MRI or	DERWENT;	
		ultrasound or doppler)	IBM_TDB	
•	116	((((vertabra\$2 or spine\$1) same (curve or	USPAT;	2004/09/29
		curving or curves or curvature or scoliosis or	US-PGPUB;	16:32
		scoliotic)) and imag\$3) and ((x adj ray\$1) or	· · · · · · · · · · · · · · · · · · ·	I U.J.
		radiogr\$7 or tomography or CT or MRI or	EPO; JPO;	
		ultrasound or doppler)) and pedicle\$1	DERWENT;	
_	2242	382/128,131,132.ccls.	IBM_TDB	0004/00/00
•	2242	302/120,131,132.CCIS.	USPAT;	2004/09/30
			US-PGPUB;	09:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	142	382/128,131,132.ccls. and (vertabra\$5 or	USPAT;	2004/09/30
		spine\$2)	US-PGPUB;	09:47
			EPO; JPO;	
			DERWENT;	
*			IBM_TDB	

•	8	382/128,131,132.ccls. and (vertabra\$5 or	USPAT;	2004/09/30
		spine\$2) and pedicle\$1	US-PGPUB;	09:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	10	382/100,128,131,132;128/922;250/455.11/378/4	16, <b>90597A,79</b> 8.6.cd	I&004/09/30
		and (vertabra\$1 or spine\$1) and pedicle\$1	US-PGPUB;	09:48
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	4791	382/128,131,132,173,190,195,278,280.ccls.	USPAT;	2004/09/30
			US-PGPUB;	10:10
			EPO; JPO;	
			DERWENT:	
			IBM TDB	
	8	382/128,131,132,173,190,195,278,280.ccls.	USPAT;	2004/09/30
		and (vertabrae\$1 or spine\$1) and pedicle\$1	US-PGPUB;	10:11
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM TDB	

Print Format

FIEEE HOME | SEARCHIEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership	Publications/Services	Stand
	<b>E</b> Xplore	®
	RELEASE 1.8	

ards Conferences Careers/Jobs



	Welcome United States Patent and Trademark Office
Help FAQ Terms IEE	E Peer Review Quick Links >> Se.
Welcome to IEEE Xplore®  - Home - What Can I Access? - Log-out	Your search matched <b>13</b> of <b>1075719</b> documents.  A maximum of <b>500</b> results are displayed, <b>15</b> to a page, sorted by <b>Relevance Descending</b> order.
Tables of Contents  - Journals & Magazines  - Conference Proceedings - Standards	Refine This Search: You may refine your search by editing the current search expression or enterinew one in the text box.  pedicle  Check to search within this result set  Results Key:
Search  - By Author - Basic - Advanced	JNL = Journal or Magazine CNF = Conference STD = Standard  1 System for intra-operative monitoring of the cortical integrity of the pedicle during pedicle screw placement in low-back surgery: design a
Member Services  - Join IEEE - Establish IEEE Web Account	clinical results  Journee, H.L.; Pavlov, P.W.; Polak, B.; de Bruin, S.;  Engineering in Medicine and Biology Society, 1996. Bridging Disciplines for Biomedicine. Proceedings of the 18th Annual International Conference of the IEEE, Volume: 1, 31 Oct3 Nov. 1996  Pages: 144 - 145 vol.1
O- Access the IEEE Member Digital Library	[Abstract] [PDF Full-Text (240 KB)] IEEE CNF
(IEEE Enterprise  - Access the IEEE Enterprise File Cabinet	2 <b>CT determination of pedicle canal diameter</b> Jacobson, D.R.; Larson, S.J.; Engineering in Medicine and Biology Society, 1989. Images of the Twenty-Fire Century. Proceedings of the Annual International Conference of the IEEE

Engineering in , 9-12 Nov. 1989

Pages:491 vol.2

[Abstract] [PDF Full-Text (64 KB)] **IEEE CNF** 

3 Facet joint loading in thoracolumbar burst fractures

Langrana, N.A.; Harten, R.D., Jr.; Lin, D.C.; Reiter, M.; Lee, C.K.; Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd / International Conference of the IEEE , Volume: 2 , 23-28 July 2000 Pages:861 - 863 vol.2

[Abstract] [PDF Full-Text (252 KB)]

4 Medical image-based design of an individualized surgical guide for pedicle screw insertion

Van Brussel, K.; Vander Sloten, J.; Van Audekercke, R.; Swaelens, B.; Richar Assaker, R.; Kulik, J.F.;

Engineering in Medicine and Biology Society, 1996. Bridging Disciplines for Biomedicine. Proceedings of the 18th Annual International Conference of the IEEE, Volume: 1, 31 Oct.-3 Nov. 1996

Pages: 225 - 226 vol.1

[Abstract] [PDF Full-Text (248 KB)] IEEE CNF

#### 5 Computer-assisted simulation model of the counter-current heatexchange mechanism at the testicular vascular pedicle

Tritto, G.;

Engineering in Medicine and Biology Society, 1988. Proceedings of the Annua International Conference of the IEEE , 4-7 Nov. 1988

Pages:1884 - 1885 vol.4

[Abstract] [PDF Full-Text (224 KB)] IEEE CNF

## 6 Relationship between pain and intersegmental spinal motion characteristics in low-back pain subjects

Dickey, J.P.; Pierrynowski, M.R.; Galea, V.; Bednar, D.A.; Yang, S.X.; Systems, Man, and Cybernetics, 2000 IEEE International Conference on , Vol. 1 , 8-11 Oct. 2000 Pages: 260 - 264 vol.1

[Abstract] [PDF Full-Text (332 KB)] IEEE CNF

#### 7 Spinal implants: past, present, and future

Serhan, H.A.;

Engineering in Medicine and Biology society, 1997. Proceedings of the 19th A International Conference of the IEEE , Volume: 6 , 30 Oct.-2 Nov. 1997 Pages: 2636 - 2639 vol.6

[Abstract] [PDF Full-Text (556 KB)] IEEE CNF

## 8 A system for ultrasound based intraoperative navigation in spine su Weber, P.K.; Schlegel, J.C.; Meiche, J.; Peter, L.; Harland, U.; Ultrasonics Symposium, 2001 IEEE, Volume: 2, 7-10 Oct. 2001 Pages:1361 - 1364 vol.2

[Abstract] [PDF Full-Text (460 KB)] IEEE CNF

#### 9 Nonlinear finite-element analysis and biomechanical evaluation of t lumbar spine

Wong, C.; Gehrchen, P.M.; Darvann, T.; Kiaer, T.; Medical Imaging, IEEE Transactions on , Volume: 22 , Issue: 6 , June 2003 Pages:742 - 746

[Abstract] [PDF Full-Text (240 KB)] IEEE JNL

## 10 In vivo 3D rotational segmental spinal kinematics in low back pain patients

Dickey, J.P.; Pierrynowski, M.R.; Bednar, D.A.; Ball, K.A.;

Engineering in Medicine and Biology Society, 1995. IEEE 17th Annual

Conference, Volume: 2, 20-23 Sept. 1995

Pages:1301 - 1302 vol.2

[Abstract] [PDF Full-Text (208 KB)] **IEEE CNF** 

#### 11 Biomechanics of Steffee plate fixation

Yoganandan, N.; Larson, S.J.; Reinartz, J.; Pintar, F.; Sances, A., Jr.; Engineering in Medicine and Biology Society, 1989. Images of the Twenty-Fir: Century. Proceedings of the Annual International Conference of the IEEE Engineering in , 9-12 Nov. 1989

Pages: 799 - 800 vol. 3

[Abstract] [PDF Full-Text (108 KB)]

#### 12 Soft tissues' expanders: computer-assisted simulation of elastic mdeformation and fractal vascular geometries in controlled skin expans Tritto, G.; Pirlo, G.; Tritto, M.C.;

Engineering in Medicine and Biology Society, 1989. Images of the Twenty-Fire Century. Proceedings of the Annual International Conference of the IEEE

Engineering in , 9-12 Nov. 1989

Pages:1951 - 1952 vol.6

[Abstract] [PDF Full-Text (116 KB)] **IEEE CNF** 

#### 13 Bone-mounted miniature robot for surgical procedures: Concept ar clinical applications

Shoham, M.; Burman, M.; Zehavi, E.; Joskowicz, L.; Batkilin, E.; Kunicher, Y. Robotics and Automation, IEEE Transactions on , Volume: 19 , Issue: 5 , Oct.

Pages:893 - 901

[Abstract] [PDF Full-Text (695 KB)]

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved